

Building with conscience.





StoLite Panel

Non-structural, lightweight, prefabricated wall panels

Save time, labor and costs with prefabricated panels.

What if your next project could see all the time, labor and cost saving benefits of prefabrication and the energy saving benefits of continuous insulation in one system. With StoLite Panel, that is exactly what you get.

Prefabrication

StoLite Panels are manufactured using a careful quality control design process leading to greater product consistency and craftsmanship. Panel construction happens rain or shine making weather a non-factor during this step.

Lightweight for quick and simple installation

Starting at 1.5 lbs./ft² (7.3kg/m²), StoLite Panels have a limited impact on structural dead load and are safely and easily installed. And without a need for on-site rasping, basecoat/ mesh, primer and finishing steps, StoLite Panels require less labor and install much faster than typical field-applied systems. This leads to minimal scaffolding and business disruption for owners.

Energy efficiency

Meet strict energy efficiency standards by using a continuously insulated system. As major cities employ climate protection strategies, deep energy retrofits of existing buildings are at the very top of their priority lists. StoLite Panels are a perfect solution to meet the challenges of not only implementing a system that works but also a strategy that is cost effective and scalable when labor shortages are a challenge.

Aesthetics

With StoLite Panel, enjoy total design freedom in color, texture, finish and materials. The key to unlocking your project's full potential is the idea that anything is possible.

Popular Project Types

StoLite Panel can be used for any project type. The benefits that accompany StoLite Panel make the following particularly popular.



Retail



Student Housing



Healthcare




Multi-Family



Deep Energy Retrofit




Features	Benefits
Aesthetic Design Freedom	 Panels can be customized with any aesthetics in mind Total design freedom in color, texture, finish and materials
Prefabricated Panels	 Greater consistency of product quality Environmentally controlled manufacturing process makes weather a non-factor Fast and easy installation Requires less on-site labor
Continuous Insulation	No thermal bridgingEnergy efficientMeets energy codes
Lightweight	Starting at 1.5 lbs./ft² (7.3kg/m²), panels are easily and safely installed
Minimal Business Disruption	Building use and customer access isn't limited during construction
Less On-site Construction Waste	May contribute to LEED points
Minimal Scaffolding	Installing completed panels reduces need for scaffolding




Receive unmatched design and technical support

For more information please refer to the StoLite Panel Design Guide or contact our technical support team at (800) 221-2397.



Window Box Head Flashing Integration




Window Box Sill Flashing Integration



Inside Corner - Dissimilar Existing Wall Types (Masonry to Metal Frame)



Learn more about StoLite Panel solutions by scanning the QR code or visiting: http://www.stocorp.com/stolitepanel



Outside Corner



Parapet Cornice



Soffit Termination



Inspiration favors the open mind

With Sto, your creative exploration can take you anywhere. Our proven products, services and support give you unmatched freedom and the ability to achieve your vision.

From increased product quality to decreased jobsite waste, StoLite Panel offers a multitude of project delivery benefits without compromising your vision. Continue to enjoy all of the aesthetics options that Sto has to offer coupled with the advantages of prefabrication.

Creativity Begins. Sto Finishes.®











Sto Americas

Sto Corp.

3800 Camp Creek Pkwy Building 1400, Suite 120 Atlanta, GA 30331 USA

Phone 1-800-221-2397 www.stocorp.com

ATTENTION

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to this product, and to the structure of the building or its components. STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME. For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.