

StoVentec[®] Render Scupper Penetration, Flashing with Open Joints Section View Structural wall assembly (concrete, masonry, stud wall with sheathing) \square Q StoVentro Bracket **** StoVentro Sub-construction Screw 0 \bigcirc with self-drilling and over-tightening protection StoGuard[®] Air & Moisture Barrier StoVentro T-Profile Mineral wool insulation Head flashing and attachment (by others) 5-12 mm Sloped min 2% from top of profile, include drip edge $\left(\frac{3}{16}^{"} - \frac{1}{2}^{"}\right)$ See Detail 90.R.036 Bottom Edge Formation Options StoGuard Transition Component Scupper Assembly with drip edge (by others) 5-12 mm $\left(\frac{3}{16}\right)^{-1}$ - $\frac{1}{2}$ 40mm (1-9/16") min overhang See Detail 90.R.035 Top Edge Formation Options StoVentro Render Facade Screw StoVentec Carrier Board A+

0

0 \bigcirc

 \cap

- Sto Base Coat
- Sto Reinforcing Mesh
- Sto Primer, if necessary
- Sto Textured Finish

Anchoring element in accordance with structural analysis

ATTENTION

.

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional. general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, of for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components.

STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME. For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp, website, www.stocorp.com

Date: November 2021

Detail No.: 90.R.301